## **EAST Search History**

| Ref<br># | Hits | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp          |
|----------|------|---|---|---------------------|---------|---------------------|
| L1       | 84   | (sender\$1 or transmitter\$1 or transceiver\$1) and count\$3 and ((block \$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with ((look adj ahead) or advan \$5)) and scheduler and ((block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet \$1) with lock\$3)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>IBM_TDB | OR                  | ON      | 2009/03/28<br>23:51 |
| L2       | 45   | (sender\$1 or transmitter\$1 or transceiver\$1) and count\$3 and ((block \$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet\$1) with ((look adj ahead) or advan \$5)) and scheduler and ((block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet \$1) with lock\$3) and ((block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub-data or sub-packet \$1 or unit\$1 or fragment\$1 or sub-data or sub-packet \$1) with identif\$5) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>IBM_TDB | OR                  | ON      | 2009/03/28<br>23:51 |
| L3       | 8215 | (sender\$1 or<br>transmitter\$1 or<br>transceiver\$1) and<br>count\$3 and ((block<br>\$1 or segment\$1 or<br>unit\$1 or fragment\$1<br>or sub-data or sub-<br>packet\$1) with lock<br>\$3)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>IBM_TDB | OR                  | ON      | 2009/03/28<br>23:51 |

| L4  | 6   | L3 and scheduler with ((block\$1 or segment\$1 or unit\$1 or fragment\$1 or sub- data or sub-packet \$1) with ((look adj ahead) or advan\$5) with request\$4 with (ID or identif\$6 or indicat\$4))            | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>IBM_TDB | OR | ON | 2009/03/28<br>23:51 |
|-----|-----|--|---|----|----|---------------------|
| L5  | 6   | L3 and scheduler with ((block\$1 or segment\$1 or unit\$1 or fragment\$1 or subdata or sub-packet \$1) with ((look adjahead) or lookahead or advan\$5) with request\$4 with (ID or identif\$6 or indicat \$4)) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>IBM_TDB | OR | ON | 2009/03/28<br>23:51 |
| L6  | 287 | (look\$3 adj ahead)<br>near5 request\$4  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>IBM_TDB | OR | ON | 2009/03/28<br>23:52 |
| L7  | 133 | L6 and (request\$4 near4 (message packet signal))  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>IBM_TDB | OR | ON | 2009/03/28<br>23:52 |
| L8  | 23  | L7 and (lock\$3 with (packet\$1 or data or block\$1 or subpacket \$1 or sub-packet\$1))  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>IBM_TDB | OR | ON | 2009/03/28<br>23:52 |
| L9  | 64  | schedul\$3 with<br>current\$2 with next<br>with request\$4 with<br>(packet\$1 data block<br>\$1 unit\$1 subpacket<br>\$1 sub-packet\$1<br>PDU)   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>IBM_TDB | OR | ON | 2009/03/28<br>23:53 |
| L10 | 22  | L9 and (segment or fragment)   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>IBM_TDB | OR | ON | 2009/03/28<br>23:53 |

| \$4)).clm. |
|------------|
|------------|

## 3/28/2009 11:58:47 PM

 $\textbf{C:} \ \, \textbf{Documents} \ \, \textbf{EAST} \ \, \textbf{Workspaces} \\ \ \, \textbf{10798993.wsp} \\$